SECTION 061000 - ROUGH CARPENTRY

PART 1 - GENERAL

1.1 SECTION INCLUDES

A. Blocking.
B. Anchoring Accessories.

1.2 RELATED SECTIONS

A. Section 06 20 00 – Finish Carpentry.
B. Section 07 21 16 – Blanket Insulation
C. Section 07 62 00 – Sheet Metal Flashing & Trim

1.3 REFERENCES

A. ALSC (American Lumber Standards Committee) - Softwood Lumber Standards.
B. APA (American Plywood Association).
C. NFPA (National Forest Products Association.
D. SPIB (Southern Pine Inspection Bureau).
E. WCLIB (West Coast Lumber Inspection Bureau).

1.4 QUALITY ASSURANCE/WARRANTY

A. Perform Work in accordance with the following agencies:
   1. Lumber Grading Agency: Certified by SPIB.
   2. Plywood Grading Agency: Certified by APA.

B. Provide/submit manufacturer's standard warranty for Fiber Cement Board products specified herein, or utilized.

PART 2 - PRODUCTS

2.1 LUMBER MATERIALS

A. Lumber Grading Rules: SPIB.
B. Non-structural Light Framing: No. 2 Yellow Pine.
C. Studding: No. 2 Yellow Pine with Fb of not less than 1300 and E of 1,400,000.
D. Miscellaneous Framing: No. 2 Yellow Pine.

2.2 CONSTRUCTION CONNECTORS

A. Galvanized connectors to anchor framing components shall be shown and detailed on drawings. Simpson or Teco.

2.3 ACCESSORIES

A. Fasteners and Anchors:
   1. Fasteners: Hot dipped or Electro galvanized steel for high humidity and treated wood locations.

2.4 BLOCKING

A. Miscellaneous Blocking, Solid Bridging, Etc.: All such wood members in contact with concrete or stucco to be pressure preservative treated; No. 2 Yellow Pine.
B. Roof Blocking: No. 2 Yellow Pine, 19 percent maximum moisture content, preservative treatment.

PART 3 - EXECUTION (Not Applicable)

END OF SECTION 061000